



10/688833

CofC/
PATENT APPLICATION
Attorney's Docket No.: 3090.1010-000 (D-4164)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentees: Gwo S. Swei, Damien C. Nevoret and Patrick Yang
Patent No.: 7,195,658 B2 Issued: March 27, 2007
Title: Antiloading Compositions and Methods of Selecting Same

CERTIFICATE OF MAILING OR TRANSMISSION	
I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on:	
12/16/08	
Date	Signature
Katherine J. Kantorski	
Typed or printed name of person signing certificate	

Certificate
DEC 23 2008
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

12/19/2008 ETECLE2 00000019 7195658
01 FC:1811 100.00 OP

Sir:

Pursuant to 35 U.S.C. § 255, we hereby request a Certificate of Correction be issued for the above-referenced U.S. Letters Patent to correct errors as shown below. A Certificate of Correction is enclosed herewith.

Column 6, Lines 24-25 – delete “R-O(CO)CH₂OSO₃⁻M⁺” and insert --R-O(CO)CH₂SO₃⁻M⁺--.

Column 12, Lines 40-41 – delete “R-O(CO)CH₂OSO₃⁻M⁺” and insert --R-O(CO)CH₂SO₃⁻M⁺--.

This corrects a self evident error in the chemical formula for Sulfoacetate. Patentees agree to pay the required fee. Enclosed is a check in the amount of \$100.00. Please charge any deficiency or credit any overpayment to Patentees' Attorney's Deposit Account No. 08-0380.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By

N. Scott Pierce

Registration No.: 34,900

Telephone: (978) 341-0036

Facsimile: (978) 341-0136

DEC 23 2008

Concord, MA 01742-9133
Dated: December 15, 2008

U.S. DEPARTMENT OF COMMERCE Patent and Trademark Office

INSTRUCTIONS: This Form is for use in preparing Certificate of Correction copy for printing by the Patent and Trademark Office.

- Return both parts of this form. **DO NOT FURNISH PHOTOCOPIES FOR PRINTING.**
- Type within the borders printed on the form.
- Use a typewriter that will give clean, clear impressions. Unsuitable copy will have to be retyped and therefore delay printing. Use a typewriter with a carbon ribbon if possible. If a fabric ribbon typewriter is used, the ribbon should be medium inked and in good condition. Changes are best made with white correction fluid.
- If necessary, staple in the area indicated in the left margin, **ONLY.**
- Type mailing address and patent number below within the perforated area.
- Indicate additional printed copies requested 50¢ per page.
- A two-inch blank space should be left at the bottom of the last page of the form for the placement of the signature of the Attesting Officer.

DETACH HERE BEFORE MAILING BOTH COPIES OF THE TYPED CERTIFICATE TO THE PATENT AND TRADEMARK OFFICE

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,195,658 B2

DATED : March 27, 2007

INVENTOR(S) : Gwo S. Swei, Damien C. Nevoret and Patrick Yang

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Lines 24-25, delete "R-O(CO)CH₂OSO₃^{-M⁺}" and insert
--R-O(CO)CH₂SO₃^{-M⁺}--.

Column 12

Lines 40-41, delete "R-O(CO)CH₂OSO₃^{-M⁺}" and insert
--R-O(CO)CH₂SO₃^{-M⁺}--.

DEC 23 2008

MAILING ADDRESS OF SENDER:

056122
Hamilton, Brook, Smith & Reynolds, P.C.
530 Virginia Road, P.O. Box 9133
Concord, Massachusetts 01742-9133

PATENT NO. 7,195,658 B2

No. of add'l copies
@ 50¢ per page



-0-

U.S. DEPARTMENT OF COMMERCE Patent and Trademark Office

INSTRUCTIONS: This Form is for use in preparing Certificate of Correction copy for printing by the Patent and Trademark Office.

- Return both parts of this form. **DO NOT FURNISH PHOTOCOPIES FOR PRINTING.**
- Type within the borders printed on the form.
- Use a typewriter that will give clean, clear impressions. Unsuitable copy will have to be retyped and therefore delay printing. Use a typewriter with a carbon ribbon if possible. If a fabric ribbon typewriter is used, the ribbon should be medium inked and in good condition. Changes are best made with white correction fluid.
- If necessary, staple in the area indicated in the left margin, **ONLY.**
- Type mailing address and patent number below within the perforated area.
- Indicate additional printed copies requested 50¢ per page.
- A two-inch blank space should be left at the bottom of the last page of the form for the placement of the signature of the Attesting Officer.

DETACH HERE BEFORE MAILING BOTH COPIES OF THE TYPED CERTIFICATE TO THE PATENT AND TRADEMARK OFFICE

Staple
Here
Only!

PRINTERS TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,195,658 B2
DATED : March 27, 2007
INVENTOR(S) : Gwo S. Swei, Damien C. Nevoret and Patrick Yang

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6

Lines 24-25, delete "R-O(CO)CH₂OSO₃⁻M⁺" and insert
--R-O(CO)CH₂SO₃⁻M⁺--.

Column 12

Lines 40-41, delete "R-O(CO)CH₂OSO₃⁻M⁺" and insert
--R-O(CO)CH₂SO₃⁻M⁺--.

Handwritten signature/initials

DEC 28 2007

MAILING ADDRESS OF SENDER:

056122
Hamilton, Brook, Smith & Reynolds, P.C.
530 Virginia Road, P.O. Box 9133
Concord, Massachusetts 01742-9133

PATENT NO. 7,195,658 B2

No. of add'l copies
@ 50¢ per page

→ -0-